

DECLARATION OF CONFORMITY

according Annex III of the Regulation (EU) No 305/2011
amended by Commissions delegated Regulation (EU) No 574/2014
No. 001-2015/06

1. Unique identification code of the product-type: **Endowy carpet, Boato line**
2. Intended use: **Flexible bituminous sheets for waterproofing**
3. Manufacturer: **DOCKE Home Systems LLC
44 Bolshaya Akademicheskaya, bldg 2, 127550
Moscow, Russia**
4. Authorised representative: **The European organization**
5. System of assessment and verification of constancy of performance: **System 3**
6. Harmonised standard: **EN 13859-1: 2010**
Notified body: **"Center for Testing and European Certification" LTD
2 Industrialna Street, Stara Zagora, Bulgaria
NB 1871**
7. Declared performances:

Essential characteristics	Performance	Test Standard	Harmonized technical specification
Reaction to fire	Class E	EN ISO11925-2:2010	EN 13501-1:2007+A1:2009
Watertightness – presence of water penetration	Pass	EN 1928	EN 13859-1: 2010
Flexibility at low temperature – presence of cracks – at t = (-10) °C			
- upper face	Pass	EN 1109	
- lower face	Pass	EN 1109	
Length	10010 mm	EN 1848-1	
Width	999 mm	EN 1848-1	
Straightness	3 mm/m	EN 1848-1	
Mass per unit area	4,30 kg/m ²	EN 1849-1	
Tensile strength in a longitudinal direction	546 N/50 mm	EN 12311-1	
Tensile strength in a transverse direction	254 N/50 mm	EN 12311-1	
Relatively extension in a longitudinal direction	20,5%	EN 12311-1	
Relatively extension in a transverse direction	30,5%	EN 12311-1	
Resistance to tearing (nail shank) – in a longitudinal direction	142 N	EN 12310-1	

The performance of the product identified above is in conformity with the set of declared performances.
This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

01.07.2015
date



name, surname and sign of the authorized person

DECLARATION OF CONFORMITY

according Annex III of the Regulation (EU) No 305/2011
amended by Commissions delegated Regulation (EU) No 574/2014
No. 003-2015/06

1. Unique identification code of the product-type: **D-Basis Standard**
2. Intended use: **Flexible bituminous sheets for waterproofing**
3. Manufacturer: **DOCKE Home Systems LLC
44 Bolshaya Akademicheskaya, bldg 2, 127550
Moscow, Russia**
4. Authorised representative: **The European organization**
5. System of assessment and verification of constancy of performance: **System 3**
6. Harmonised standard: **EN 13859-1: 2010**
Notified body: **"Center for Testing and European Certification" LTD
2 Industrialna Street, Stara Zagora, Bulgaria
NB 1871**
7. Declared performances:

Essential characteristics	Performance	Test Standard	Harmonized technical specification
Reaction to fire	Class E	EN ISO11925-2:2010	EN 13501-1:2007+A1:2009
Watertightness – presence of water penetration	Pass	EN 1928	EN 13859-1: 2010
Flexibility at low temperature – presence of cracks – at t = (-10) °C			
- upper face	Pass	EN 1109	
- lower face	Pass	EN 1109	
Length	15010 mm	EN 1848-1	
Width	1003 mm	EN 1848-1	
Straightness	3 mm/m	EN 1848-1	
Mass per unit area	1,90 kg/m ²	EN 1849-1	
Tensile strength in a longitudinal direction	378 N/50 mm	EN 12311-1	
Tensile strength in a transverse direction	194 N/50 mm	EN 12311-1	
Relatively extension in a longitudinal direction	1,3%	EN 12311-1	
Relatively extension in a transverse direction	2,5%	EN 12311-1	
Resistance to tearing (nail shank) – in a longitudinal direction	24 N	EN 12310-1	

The performance of the product identified above is in conformity with the set of declared performances.
This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

01.07.2015
date



Дягаченко М.Г.
name, surname and sign of the authorized person

DECLARATION OF CONFORMITY

according Annex III of the Regulation (EU) No 305/2011
amended by Commissions delegated Regulation (EU) No 574/2014
No. 002-2015/06

1. Unique identification code of the product-type: **D-Basis Comfort**
2. Intended use: **Flexible bituminous sheets for waterproofing**
3. Manufacturer: **DOCKE Home Systems LLC**
44 Bolshaya Akademicheskaya, bldg 2, 127550
Moscow, Russia
4. Authorised representative: **The European organization**
5. System of assessment and verification of constancy of performance: **System 3**
6. Harmonised standard: **EN 13859-1: 2010**
Notified body: **"Center for Testing and European Certification" LTD**
2 Industrialna Street, Stara Zagora, Bulgaria
NB 1871
7. Declared performances:

Essential characteristics	Performance	Test Standard	Harmonized technical specification
Reaction to fire	Class F	EN ISO11925-2:2010	EN 13501-1:2007+A1:2009
Watertightness – presence of water penetration	Pass	EN 1928	EN 13859-1: 2010
Flexibility at low temperature – presence of cracks – at t = (-10) °C			
- upper face	Pass	EN 1109	
- lower face	Pass	EN 1109	
Length	40010 mm	EN 1848-1	
Width	999 mm	EN 1848-1	
Straightness	2 mm/m	EN 1848-1	
Mass per unit area	0,50 kg/m ²	EN 1849-1	
Tensile strength in a longitudinal direction	359 N/50 mm	EN 12311-1	
Tensile strength in a transverse direction	280 N/50 mm	EN 12311-1	
Relatively extension in a longitudinal direction	23,5%	EN 12311-1	
Relatively extension in a transverse direction	29,5%	EN 12311-1	
Resistance to tearing (nail shank) – in a longitudinal direction	242 N	EN 12310-1	

The performance of the product identified above is in conformity with the set of declared performances.
This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

01.07.2015
date



name, surname and sign of the authorized person

DECLARATION OF CONFORMITY

according Annex III of the Regulation (EU) No 305/2011
amended by Commissions delegated Regulation (EU) No 574/2014
No. 004-2015/06

1. Unique identification code of the product-type: **Bitumen roofing shingles "Sheffield"**
2. Intended use: **Roof covering**
3. Manufacturer: **DOCKE Home Systems LLC
44 Bolshaya Akademicheskaya, bldg 2, 127550
Moscow, Russia**
4. Authorised representative: **The European organization**
5. System of assessment and verification of constancy of performance: **System 3**
6. Harmonised standard: **EN 544: 2011**
Notified body: **"Center for Testing and European Certification" LTD
2 Industrialna Street, Stara Zagora, Bulgaria
NB 1871**
7. Declared performances:

Essential characteristics	Performance	Test Standard	Harmonized technical specification
Reaction to fire	Class E	EN ISO11925-2:2010	EN 13501-1:2007+A1:2009
Tensile strength in a transverse direction	432 N/50mm	EN 12311-1	EN 544: 2011
Relatively extension in a longitudinal direction	1,7%	EN 12311-1	
Relatively extension in a transverse direction	1,6%	EN 12311-1	
Height	317 mm	EN 544	
Width	999 mm	EN 544	
Surface of multilayer overlapping	50%	EN 544	
Water absorption	0,5%	EN 544	
Flow resistance at elevated temperature	0,5 mm	EN 1110	
Adhesion of mineral granules and flakes of slate	1,4 g	EN 12039	
Mass of bitumen	1352 g/m ²	EN 544	

The performance of the product identified above is in conformity with the set of declared performances.
This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

01.07.2015.
date



Игнатьев М.Г.
name, surname and sign of the authorized person